

6/28

XL/10 SPECIFICATIONS

CPU/MEMORY:

- NEC V20 8-bit microprocessor
- 4.77/10MHz user selectable
- 4.1MHz LANDMARK throughput rating
- Slot available for 8Ø87-2 math coprocessor
- 640KB RAM
- AMI BIOS
- Power-on diagnostics

STORAGE:

- Four exposed half-height slots

STANDARD:

- 5.25" 360KB floppy disk drive

OPTIONAL:

- Second floppy disk drive:5.25" 36ØKB or 3.5" 72ØKB
- 5.25" internal hard disk drive:
 20MB and 40MB capacity

DISPLAY COMBINATION OPTIONS:

- HERCULES Graphics Card Plus with RamFont and parallel port
- 14" diagonal high-resolution, amber phosphor monitor with
- tilt and swivel base 720 X 348 resolution
- 80 X 25 lines
- HERCULES Color Graphics Adaptor (CGA) 14" diagonal high-resolution,
- RGB monitor with tilt and swivel base
- 640 X 200 resolution
- 80 X 25 lines
- 4 colors

- PARADISE Enhanced Graphics Adaptor (EGA) with autoswitch feature
- 14" diagonal high-resolution,
 - EGA monitor with tilt and swivel base
- 640 X 350 resolution
- 80 X 25 lines
- 16 colors

INTERFACES: - RS-232 serial Port

- Centronics parallel printer port

- Game port

EXPANSION SLOTS: - Five 8-bit full-length slots

<u>KEYBOARD</u>: - 101-key enhanced keyboard with

separate numeric and cursor

control keypads

CLOCK/CALENDAR: - Real-time clock/calendar

With battery backup

POWER: - 135 WT; 110/220V switchable

PHYSICAL Height: 5.75 inches

CHARACTERISTICS: Length: 16.75 inches (Base System) Width: 19.25 inches

page placem) Arden: 13.72 In

Weight: 38 lbs.

FIVESTAR XL/10 COMPUTER SYSTEM PRICING

CONFIGURATIONS INCLUDE THE FOLLOWING BASE SYSTEM FEATURES:

NEC V2Ø CPU; 8-BIT; 4.77/1ØMHz 64ØKB RAM 36ØKB FLOPPY DRIVE REAL-TIME CLOCK/CALENDAR SERIAL/PARALLEL/GAME PORTS EIGHT EXPANSION SLOTS 1Ø1-KEY KEYBOARD 135 WT POWER SUPPLY ONE YEAR ON-SITE SERVICE

	- 1	ADAPTER/1	4" MONITOR	COMBO:
MODEL	HARD DISK	MONO	CGA	EGA
1120	2ØMB	\$1345	\$1495	\$1695
1140	40MB	\$1545	\$1695	\$1895